## AMENDMENTS TO THE CLAIMS

Docket No.: 04291/100M649-US1

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Previously Presented) A wireless communications kit for use with a cellular telephone, comprising:

a communications headset having a common mount;

a housing attached to the mount, the housing including a microphone, a speaker, a rechargeable battery and communications circuitry therein, the microphone and speaker being in communication with the cellular telephone, the communications circuitry having the microphone as an input and the speaker as an output;

a first attachment shaped to secure itself to the mount and configured to seat itself about an ear of a user; and

a second attachment shaped to secure itself to the mount and including a top portion arranged to attach to a temple member of a pair of glasses.

- 2. (Cancelled)
- 3. (Previously Presented) The wireless communications kit of claim 1, wherein the mount comprises a slot through the housing of the communication headset.
- 4. (Original) The wireless communications kit of claim 3, wherein the first and second attachments include a downwardly dependent leg shaped and sized for receipt in the slot.
- 5. (Previously Presented) The wireless communications kit of claim 28, wherein the leg is frictionally fit within the slot.
- 6. (Previously Presented) The wireless communications kit of claim 28, wherein the leg includes an upper portion and a lower portion slightly transposed from the upper portion.

7. (Previously Presented) The wireless communications kit of claim 28, wherein the slot includes a series of constrictions and the leg includes a protuberance, the protuberance being urged past the series of constrictions upon insertion and withdrawal of the leg and wherein each constriction individually secures the attachment from separation from the housing of the communication headset.

Docket No.: 04291/100M649-US1

- 8. (Original) The wireless communications kit of claim 7, wherein the leg includes a series of protuberances.
- 9. (Previously Presented) The wireless communications kit of claim 28, wherein the mount includes a magnet secured to the housing.
- 10. (Original) The wireless communications kit of claim 9, wherein the first and second attachments include a magnetically permeable mount portion shaped to be seatable on the mount.
- 11. (Previously Presented) The wireless communications kit of claim 1, wherein the mount includes a magnetically permeable portion secured to the housing.
- 12. (Original) The wireless communications kit of claim 11, wherein the first and second attachments include a magnet positioned to be seatable on the mount.
- 13. (Original) The wireless communications kit of claim 1, wherein the top portion includes: a face with serrations to securely engage to a temple member of a pair of glasses; and a cooperating mechanism operative to move relative to the face between an open and a closed position.
- 14. (Original) The wireless communications kit of claim 13, wherein the cooperating mechanism is a clip.

Application No. 10/605,667 Reply to Office Action of July 19, 2006

15. (Original) The wireless communications kit of claim 13, wherein the cooperating mechanism is a spring-loaded lever.

Docket No.: 04291/100M649-US1

- 16. (Original) The wireless communications kit of claim 13, wherein the cooperating mechanism locks into a closed position to secure the communications headset to the temple member.
- 17. (Previously Presented) The wireless communications kit of claim 28, wherein the mount comprises a post having a free end extending from the housing of the communication headset.
- 18. (Original) The wireless communications kit of claim 17, wherein the first and second attachments include a downwardly dependent leg shaped and sized for receipt about the post so as to secure the leg to the post.
- 19. (Original) The wireless communications kit of claim 18, wherein the leg is frictionally fit about the post.
- 20. (Original) The wireless communications kit of claim 18, wherein the post includes a series of protuberances and the leg includes a protuberance, the protuberance being urged past the series of protuberances upon placement of the leg about the post, and wherein each protuberance individually secures the attachment from separation from the housing of the communication headset.
- 21. (Original) The wireless communications kit of claim 18, wherein the post includes an inner channel having a bent portion for receiving the leg.
- 22. (Previously Presented) The wireless communications kit of claim 28 further comprising a transceiver connectable to a communications jack on the cellular telephone by wires, the

Application No. 10/605,667 Reply to Office Action of July 19, 2006

communications circuitry within the communications headset communicating in a wireless manner with the transceiver.

Docket No.: 04291/100M649-US1

- 23. (Original) The wireless communications kit of claim 22, further comprising a fastener on each of the transceiver and the cellular telephone that secures the transceiver and the cellular telephone together.
- 24. (Previously Presented) A wireless communications kit for use with a cellular telephone, comprising:
  - a communications headset having a housing including circuitry therein;
- a housing attachment component having a lower end secured to the housing and an upper end having an extension;
- an eyeglass attachment component arranged to attach to a temple member of a pair of glasses; and
- a magnetic securement seated so as to be shielded from the circuitry within the housing and arranged to magnetically secure the extension to the eyeglass attachment component.
- 25. (Original) The wireless communication kit of claim 24, wherein the lower end of the housing attachment is hingably secured to the housing.
- 26. (Original) The wireless communications kit of claim 24, wherein the housing attachment component is permanently affixed to the housing.
- 27. (Cancelled)
- 28. (Previously Presented) A wireless communications kit for use with a cellular telephone, comprising:
  - a communications headset having a mount;

Docket No.: 04291/100M649-US1

a housing attached to the mount, the housing including a microphone, a speaker, a rechargeable battery and communications circuitry therein, the microphone and speaker being in communication with the cellular telephone, the communications circuitry having the microphone as an input and the speaker as an output;

wherein the mount comprises a slot through the housing;

a first attachment shaped to secure itself to the mount and configured to seat itself about an ear of a user; and

a second attachment shaped to secure itself to the mount and including a top portion arranged to attach to a temple member of a pair of glasses,

wherein the first and second attachments include a downwardly dependent leg shaped and sized for receipt in the slot.

## 29. (Previously Presented) A wireless communications kit for use with a cellular telephone, comprising:

a communications headset having a mount;

a housing attached to the mount, the housing including a microphone, a speaker, a rechargeable battery and communications circuitry therein, the microphone and speaker being in communication with the cellular telephone, the communications circuitry having the microphone as an input and the speaker as an output;

wherein the mount includes magnet secured to the housing;

a first attachment shaped to secure itself to the mount and configured to seat itself about an ear of a user; and

a second attachment shaped to secure itself to the mount and including a top portion arranged to attach to a temple member of a pair of glasses,

wherein the first and second attachments include a magnetically permeable mount portion shaped to be seatable on the mount.